

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/626,224	07/24/2003	William O. Camp JR.	9314-45 4546		
54414 7590 MVFRS RIGEL SI		· EXAMINER			
MYERS BIGEL SIBLEY & SAJOVEC, P.A. P.O. BOX 37428			YUN, EUGENE		
RALEIGH, NC 270	527)	ART UNIT	PAPER NUMBER	
			2618		
			· · · · · · · · · · · · · · · · · · ·	······	
SHORTENED STATUTORY PE	RIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MONTHS 03/19/2007			PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No.	Applicant(s)					
Office Action Summary		10/626,224	CAMP, WILLIAM	CAMP, WILLIAM O.				
		Examiner	Art Unit					
		Eugene Yun	2618					
The MAILING DATE of the Period for Reply	is communication app	ears on the cover sheet wi	th the correspondence a	ddress				
A SHORTENED STATUTORY WHICHEVER IS LONGER, FR - Extensions of time may be available unde after SIX (6) MONTHS from the mailing d: - If NO period for reply is specified above, t - Failure to reply within the set or extended Any reply received by the Office later than earned patent term adjustment. See 37 0	OM THE MAILING DA r the provisions of 37 CFR 1.13 ate of this communication. the maximum statutory period w period for reply will, by statute, three months after the mailing	ATE OF THIS COMMUNIC 16(a). In no event, however, may a re- rill apply and will expire SIX (6) MON' cause the application to become AB.	CATION. eply be timely filed THS from the mailing date of this of the control o	,				
Status				_				
1) Responsive to communic	ation(s) filed on 05 Ja	nuary 2007		~ '				
2a)⊠ This action is FINAL .		action is non-final.						
<u> </u>	,—							
		x parte Quayle, 1935 C.D.		,				
Disposition of Claims								
4) Claim(s) <u>1-3,7-16,19-24 a</u>	and 26-29 is/are pendi	ng in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.							
	Claim(s) is/are allowed.							
· · · · · · · · · · · · · · · · · · ·	S)⊠ Claim(s) <u>1-3,7-16,19-24 and 26-29</u> is/are rejected.							
8) Claim(s) are subje	ct to restriction and/or	election requirement.						
Application Papers								
9) The specification is object	ed to by the Examiner							
10)⊠ The drawing(s) filed on 24	· · · · · · · · · · · · · · · · · · ·		ed to by the Examiner.					
		frawing(s) be held in abeyand						
Replacement drawing sheet	(s) including the correcti	on is required if the drawing(s) is objected to. See 37 C	FR 1.121(d).				
11)☐ The oath or declaration is	objected to by the Exa	aminer. Note the attached	Office Action or form P	TO-152.				
Priority under 35 U.S.C. § 119								
12) Acknowledgment is made a) All b) Some * c)		priority under 35 U.S.C. §	119(a)-(d) or (f).					
1. Certified copies of	the priority documents	have been received.						
2. Certified copies of	the priority documents	have been received in Ap	oplication No					
Copies of the certif	ied copies of the priori	ty documents have been	received in this National	Stage				
application from the	e International Bureau	(PCT Rule 17.2(a)).						
* See the attached detailed (Office action for a list o	of the certified copies not r	received.					
Attachment(s)								
Notice of References Cited (PTO-892			ummary (PTO-413)					
 Notice of Draftsperson's Patent Drawi Information Disclosure Statement(s) (s)/Mail Date nformal Patent Application					
Paper No(s)/Mail Date	- /	6) 🔲 Other:	• •					

Art Unit: 2618

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-3, 7, 8, 11, 15, 16, 19, 20, 23, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rasmusson (WO 00/74350) in view of Jones et al. (US 6,879,600).

Referring to Claim 1, Rasmusson teaches a wireless terminal, comprising; a short-range communication module that is configured to communicate first information over a short-range wireless interface with a communication device (see communication between 201 and 203 in fig. 2);

a cellular transceiver that is configured to communicate second information with a cellular network according to a cellular communication protocol (see 225 and 227 of fig. 2);

a processor that is configured to encode the second information for transmission by the cellular transceiver according to a signal processing operation, and is configured to selectively encode the first information for communication by the short-range communication module using the signal processing operation based on whether the communication device supports an enhanced communication mode (see pg. 15, lines 11-32).

Art Unit: 2618

Rasmusson does not teach encoding voice in short-range and cellular communication using at least one of an Enhanced Full Rate (EFR) codec and an Adaptive Multi-Rate (AMR) codec for communication. Jones teaches encoding voice in short-range and cellular communication using at least one of an Enhanced Full Rate (EFR) codec and an Adaptive Multi-Rate (AMR) codec for communication (see col. 5, lines 34-51). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Jones to said device of Rasmusson in order to better reduce the excess complexity of a wireless terminal.

Referring to Claim 3, Rasmusson teaches a wireless terminal, comprising:

a Bluetooth module that is configured to communicate first information with a remote Bluetooth device (see communication between 201 and 203 in fig. 2 and pg. 14, line 30 to pg. 15, line 10);

a cellular transceiver that is configured to communicate second information with a cellular network according to a cellular communication protocol (see 225 and 227 of fig. 2);

a processor that is configured to selectively encode the first information for communication by the Bluetooth module based on whether the remote Bluetooth device supports an enhanced communication mode (see pg. 15, lines 11-32).

Rasmusson does not teach encoding voice in short-range and cellular communication using at least one of an Enhanced Full Rate (EFR) codec and an Adaptive Multi-Rate (AMR) codec for communication. Jones teaches encoding voice in short-range and cellular communication using at least one of an Enhanced Full Rate (EFR) codec and

Art Unit: 2618

an Adaptive Multi-Rate (AMR) codec for communication (see col. 5, lines 34-51).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Jones to said device of Rasmusson in order to better reduce the excess complexity of a wireless terminal.

Referring to Claim 15, Rasmusson teaches a method of operating a wireless terminal, comprising:

determining whether a remote Bluetooth device supports an enhanced communication mode (see pg. 14, line 30 to pg. 15, line 10);

selectively encoding first information for communication to the remote

Bluetooth device based on whether the remote Bluetooth device supports an enhanced
communication mode, and communicating the first information to the remote Bluetooth
device (see pg. 15, lines 11-32).

Rasmusson does not teach encoding voice in short-range communication using at least one of an Enhanced Full Rate (EFR) codec and an Adaptive Multi-Rate (AMR) codec according to a signal processing operation for communication. Jones teaches encoding voice in short-range communication using at least one of an Enhanced Full Rate (EFR) codec and an Adaptive Multi-Rate (AMR) codec according to a signal processing operation for communication (see col. 5, lines 34-51). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Jones to said device of Rasmusson in order to better reduce the excess complexity of a wireless terminal.

Referring to Claim 2, Rasmusson also teaches the short-range

Art Unit: 2618

communication module is configured to communicate the first information according to a Bluetooth communication protocol (see pg. 14, line 30 to pg. 15, line 10).

Referring to Claim 16, Jones also teaches encoding voice in second information using at least one of the EPR codec and the AMR codec according to the signal processing operation for transmission to a cellular network (see col. 5, lines 34-51).

Referring to Claims 7 and 19, Rasmusson also teaches the first information comprising audio information, and canceling echo in the audio information using a signal processing operation (see pg. 17, lines 28-31).

Referring to Claims 8 and 20, Rasmusson also teaches the first information comprising audio information, and reducing noise in the audio information using a signal processing operation (see pg. 16, lines 27-30).

Referring to Claim 11, Rasmusson teaches a wireless terminal, comprising:

a Bluetooth module that is configured to communicate first information with a remote Bluetooth device (see communication between 201 and 203 in fig. 2 and pg. 14, line 30 to pg. 15, line 10);

a cellular transceiver that is configured to communicate second information with a cellular network according to a cellular communication protocol (see 225 and 227 of fig. 2).

Rasmusson does not teach a processor that is configured to encode the second information for transmission by the cellular transceiver according to a signal processing operation, and to selectively encode the first information according to the signal processing operation for communication by the Bluetooth module based on whether the

0040

Art Unit: 2618

remote Bluetooth device supports an enhanced communication mode, wherein the processor is configured to selectively encode the first information by selectively embedding control data in the first information based on whether the remote Bluetooth device supports an enhanced communication mode. Jones teaches a processor that is configured to encode the second information for transmission by the cellular transceiver according to a signal processing operation, and to selectively encode the first information according to the signal processing operation for communication by the Bluetooth module based on whether the remote Bluetooth device supports an enhanced communication mode, wherein the processor is configured to selectively encode the first information by selectively embedding control data in the first information based on whether the remote Bluetooth device supports an enhanced communication mode (see col. 10, line 61 to col. 11, line 2). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Jones to said device of Rasmusson in order to better reduce the excess complexity of a wireless terminal.

Referring to Claim 23, Rasmusson teaches a method of operating a wireless terminal, comprising:

Determining whether a remote Bluetooth device supports an enhanced communication mode (see communication between 201 and 203 in fig. 2 and pg. 14, line 30 to pg. 15, line 10).

Rasmusson does not teach selectively embedding control data in first information for communication to the remote Bluetooth device based on whether the remote

Bluetooth device supports an enhanced communication mode. Jones teaches selectively embedding control data in first information for communication to the remote Bluetooth device based on whether the remote Bluetooth device supports an enhanced communication mode and communicating the first information to the remote Bluetooth device (see col. 10, line 61 to col. 11, line 2). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Jones to said device of Rasmusson in order to better reduce the excess complexity of a wireless terminal.

Referring to Claim 29, Jones also teaches selectively encoding the first information by selectively embedding control data in the first information based on whether the remote Bluetooth device supports an enhanced communication mode (see col. 10, line 61 to col. 11, line 2).

3. Claims 9, 10, 21, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rasmusson in view of Komsi (US 7,181,252).

Referring to Claim 9, Rasmusson teaches a wireless terminal, comprising:

a Bluetooth module that is configured to communicate first information with a remote Bluetooth device (see communication between 201 and 203 in fig. 2 and pg. 14, line 30 to pg. 15, line 10);

a cellular transceiver that is configured to communicate second information with a cellular network according to a cellular communication protocol (see 225 and 227 of fig. 2).

short range wireless terminals.

Rasmusson does not teach a processor that is configured to convolutionally encode the second information fro transmission by the cellular transceiver according to a signal processing operation, and to selectively convolutionally encode the first information according to the signal processing operation for communication by the Bluetooth module based on whether the remote Bluetooth device supports an enhanced communication mode. Komsi teaches a processor that is configured to convolutionally encode the second information fro transmission by the cellular transceiver according to a signal processing operation, and to selectively convolutionally encode the first information according to the signal processing operation for communication by the Bluetooth module based on whether the remote Bluetooth device supports an enhanced communication mode (see col. 6, lines 18-33). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the

Referring to Claim 10, Rasmusson teaches a wireless terminal, comprising:

teachings of Komsi to said device of Rasmusson in order to provide better security for

a Bluetooth module that is configured to communicate first information with a remote Bluetooth device (see communication between 201 and 203 in fig. 2 and pg. 14, line 30 to pg. 15, line 10);

a cellular transceiver that is configured to communicate second information with a cellular network according to a cellular communication protocol (see 225 and 227 of fig. 2).

Art Unit: 2618

Rasmusson does not teach a processor that is configured to interleave the second information fro transmission by the cellular transceiver according to a signal processing operation, and to selectively interleave the first information according to the signal processing operation for communication by the Bluetooth module based on whether the remote Bluetooth device supports an enhanced communication mode. Komsi teaches a processor that is configured to interleave the second information fro transmission by the cellular transceiver according to a signal processing operation, and to selectively interleave the first information according to the signal processing operation for communication by the Bluetooth module based on whether the remote Bluetooth device supports an enhanced communication mode (see col. 6, lines 18-33). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Komsi to said device of Rasmusson in order to provide better security for short range wireless terminals.

Referring to Claim 21, Rasmusson teaches a method of operating a wireless terminal, comprising:

Determining whether a remote Bluetooth device supports an enhanced communication mode (see communication between 201 and 203 in fig. 2 and pg. 14, line 30 to pg. 15, line 10).

Rasmusson does not teach selectively convolutionally coding first information for communication to the remote Bluetooth device based on whether the remote Bluetooth device supports an enhanced communication mode. Komsi teaches selectively convolutionally coding first information for communication to the remote Bluetooth

Art Unit: 2618

device based on whether the remote Bluetooth device supports an enhanced communication mode and communicating the first information to the remote Bluetooth device (see col. 6, lines 18-33). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Komsi to said device of Rasmusson in order to provide better security for short range wireless terminals.

Referring to Claim 22, Rasmusson teaches a method of operating a wireless terminal, comprising:

Determining whether a remote Bluetooth device supports an enhanced communication mode (see communication between 201 and 203 in fig. 2 and pg. 14, line 30 to pg. 15, line 10).

Rasmusson does not teach selectively interleaving first information for communication to the remote Bluetooth device based on whether the remote Bluetooth device supports an enhanced communication mode. Komsi teaches selectively interleaving first information for communication to the remote Bluetooth device based on whether the remote Bluetooth device supports an enhanced communication mode and communicating the first information to the remote Bluetooth device (see col. 6, lines 18-33). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Komsi to said device of Rasmusson in order to provide better security for short range wireless terminals.

Art Unit: 2618

4. Claims 27 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rasmusson and Jones and further in view of Kozmi.

Referring to Claim 27, the combination of Rasmusson and Jones does not teach a processor that is configured to convolutionally encode the second information fro transmission by the cellular transceiver according to a signal processing operation, and to selectively convolutionally encode the first information according to the signal processing operation for communication by the Bluetooth module based on whether the remote Bluetooth device supports an enhanced communication mode. Komsi teaches a processor that is configured to convolutionally encode the second information fro transmission by the cellular transceiver according to a signal processing operation, and to selectively convolutionally encode the first information according to the signal processing operation for communication by the Bluetooth module based on whether the remote Bluetooth device supports an enhanced communication mode (see col. 6, lines 18-33). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Komsi to the modified device of Rasmusson and Jones in order to provide better security for short range wireless terminals.

Referring to Claim 28, Kozmi also teaches a processor that is configured to interleave the second information fro transmission by the cellular transceiver according to a signal processing operation, and to selectively interleave the first information according to the signal processing operation for communication by the Bluetooth

Art Unit: 2618

module based on whether the remote Bluetooth device supports an enhanced communication mode (see col. 6, lines 18-33).

5. Claims 12-14, 24, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rasmusson and Jones and further in view of Kim (US 2002/0065045).

Referring to Claims 12 and 24, the combination of Rasmusson and Jones does not teach the remote Bluetooth device comprising a cordless telephone base station that is configured to be connected to a public switched telephone network (PSTN) 60 (fig. 2), and wherein the processor is configured to communicate through the Bluetooth module with the cordless telephone base station. Kim teaches the remote Bluetooth device comprising a cordless telephone base station that is configured to be connected to a public switched telephone network (PSTN), and wherein the processor is configured to communicate through the Bluetooth module with the cordless telephone base station (see paragraph [0023]). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Kim to the modified device of Rasmusson and Jones in order to better enhance the quality of short range communications.

Referring to Claim 13, Rasmusson also teaches the processor is configured to selectively embed control data in the first information based on whether the remote Bluetooth device supports an enhanced communication mode, and wherein the control

Art Unit: 2618

data comprises a command to control operation of the cordless telephone base station (see pg. 15, lines 11-32).

Referring to Claim 14, Kim also teaches the control data instructs the cordless telephone base station to terminate a call on the PSTN (see paragraph [0023]).

Referring to Claim 26, Jones also teaches the control data selectively embedding in the first information comprising a command to control operation of the cordless telephone base station (see col. 10, line 61 to col. 11, line 2).

Response to Arguments

6. Applicant's arguments with respect to claims 1-3, 7-16, 19-24, and 26-29 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2618

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Page 14

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eugene Yun whose telephone number is (571) 272-7860. The examiner can normally be reached on 9:00am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on (571)272-4177. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Matthew D. Anderson Supervisory Patent Examiner Eugene Yun Examiner Art Unit 2618